

#### Americans (48 million people) get sick, 128,000 are hospitalized and 3,000 die of foodborne diseases each year\*

\*https://www.cdc.gov/foodborneburden/2011-foodborne-estimates.html

**NOROVIRUS,** one of the leading causes of foodborne illnesses, is a highly contagious virus that can cause a person's digestive system to become inflamed.

### How NOROVIRUS enters a restaurant

Through employees, customers and food contaminated at its source.



### How NOROVIRUS spreads

Consuming contaminated food or drink; touching contaminated people, objects or surfaces; and breathing airborne virus particles.

# **NOROVIRUS** Fact Sheet





### Foods typically implicated include

SALADS AND SANDWICHES OR OTHER READY-TO-EAT ITEMS



Norovirus can spread BEFORE and AFTER symptoms are present

For more information, please contact your US Foods<sup>®</sup> representative or call 1.866.444.7450.



## **NOROVIRUS** Fact Sheet

MONOGRAM

**NOROVIRUS,** one of the leading causes of foodborne illnesses, is a highly contagious virus that can cause a person's digestive system to become inflamed.



Americans (48 million people) get sick, 128,000 are hospitalized and 3,000 die of foodborne diseases each year\*

#### How NOROVIRUS enters a restaurant

Through employees, customers and food contaminated at its source.



### How **NOROVIRUS** spreads

Consuming contaminated food or drink; touching contaminated people, objects or surfaces; and breathing airborne virus particles.

\*https://www.cdc.gov/foodborneburden/2011-foodborne-estimates.html

For more information, please contact your US Foods<sup>®</sup> representative or call 1.866.444.7450.





### Foods typically implicated include

SALADS AND SANDWICHES OR OTHER READY-TO-EAT ITEMS



Norovirus can spread BEFORE and AFTER symptoms are present